

## INVITATION TO APPLY FOR ELIGIBILITY AND TO BID

The Baliwag Water District through its Bids and Awards Committee (BAC), invites interested applicants to apply for eligibility and if found eligible, to bid for the hereunder contract:

Name of Contract: **Drilling of One Production Well (160m depth) at Tibag Pumping Station**  
Location: **Tibag Pumping Station, Baliwag, Bulacan**  
Contract Duration: **90 calendar days**  
Approved Budget for the Contract (ABC): **Php2,986,800.00**  
Source of Fund: **ICG**

The BAC will use non-discretionary pass/fail criteria in the Eligibility Check/Screening as well as the Preliminary Examination of Bids.

All particulars relative to Eligibility Statement and Screening, Bid Security, Performance Security, Pre-Bidding Conference, Evaluation of Bids, Post Qualification and Award of Contract shall be governed by the pertinent provisions of R.A. 9184 and its Implementing Rules and Regulations (IRR).

| BAC ACTIVITIES   | SCHEDULE                |
|--|-------------------------|
| 1. Posting of Invitation to Bid, Receipt of LOI from prospective bidders, payment for the bidding participation fee and Issuance of Eligibility Requirements | July 13-19, 2016        |
| 2. Deadline of submission of Eligibility Requirements, Issuance of Notice to Eligible Bidders and Issuance of Bid Documents                                  | July 21, 2016 / 2:00 pm |
| 3. Pre-bid Conference  | July 25, 2016 / 2:00 pm |
| 4. Receipt and Opening of Bid  | August 5, 2016 /2:00 pm |

Eligibility requirements are available for issuance to the prospective bidders upon **payment** of non-refundable amount of **Five thousand pesos (5,000.00)** to the BWD Account (Landbank-Baliwag Branch – SA#0102-1032-89) and upon submission of **Letter of Intent (LOI)** within the prescribed period.

The BWD assumes no responsibility whatsoever to compensate or indemnify bidders for any expenses incurred in the preparation of their bids.

**ROBERTO D. ESTRELLA (Sgd)**

BAC Chairman

Date of Publication: July 12, 2016